

Tamping Rammer

Rammers are designed to deal with the tough site condition. They are well balanced, easy to operate, low cost to maintenance and excellent manoeuvrability in trench and around pipe. Additionally, every rammer is performance inspected before it is released from our factory, so you can trust them at all.

The new model created, Strongly recommended





HP-RM90H



New-designed rear cover with perfectly-balance performance



Rubber tamping plate as option




HP-RM90 series

Model	HP-RM90H	HP-RM90R	HP-RM90D	HP-RM90L	HP-RM90Z
Power Source	Petrol, Honda GX160	Petrol, Robin EY20	Diesel, HP170F	Petrol, Loncin LC165F-3H	Petrol, ZongSheng, BT168FB
Power HP(KW)	5.5(4.0)	5.0(3.7)	3.8(2.8)	4.0(3.1)	6.5(4.8)
Weight(Kg)	79	77	89	75	79
Impact Force KN	12				
Jumping Stroke MM	40-75				
Impact Number Per Min.	640-680				
Fuel Tank Capacity L	2.0				
Shoe Size MM	330 x 290				

※Other engines are available as requested

※Features and specifications are subject to change without notification

Tamping Rammer



HP-RM75R

Tamping Rammer

Features:

- 4-stroke Honda & Robin petrol engines designed specially for rammers. Easy starting, low-noisy operation, low maintenance and reduced fuel consumption. Diesel engine is optional.
- Innovative throttle lever offers longer life and smooth operation.
- Heavy shock mount system to reduce hand & arm vibration and improve operator's comfort.
- Durable plastic fuel tank offers longer life and rust-free.
- New-designed top cover protects engine from damage.
- Ingenious protective side frame cover guards engine.
- Steel plate with laminated wood inserted shoe offers economical usage and perfectly balance.
- Outstanding body balance maximizes work efficiency and minimizes operator's fatigue.
- Optional trolley wheel for easy transportation.



Ingenious protective side frame cover guards engine.





Hour meter as option



Germany tamping plate as option



Emergency stop bottom



HP-RM75 series

Model	HP-RM75R	HP-RM75HR	HP-RM75L	HP-RM75Y	HP-RM75D
Power Source	Petrol, Robin EH12-2D	Petrol, Honda GXR120	Petrol, Loncin LC165F-3H	Diesel, Yanmar L48	Diesel, HP170F
Power HP(KW)	4.0(2.9)	4.0(2.9)	4.0(3.1)	3.8(2.8)	3.8(2.8)
Weight(Kg)	75	73	76	88	88
Impact Force KN	14				
Jumping Stroke MM	40-80				
Impact Number Per Min.	640-680				
Fuel Tank Capacity L	2.0				
Shoe Size MM	345 x 285				

※Other engines are available as requested

※Features and specifications are subject to change without notification

Tamping Rammer

The professional rammer with additional built-in air filtration system



Additional built-in air filtration system



Honda engine GXR120



EPA Certificate fuel tank

HP-RM75BHR

HP-RM75B series

Model	HP-RM75BR	HP-RM75BHR	HP-RM75BL	HP-RM75BY	HP-RM75BD
Power Source	Petrol, Robin EH12-2D	Petrol, Honda GXR120	Petrol, Loncin LC165F-3H	Diesel, Yanmar L48	Diesel, YM170F
Power HP(KW)	4.0(2.9)	4.0(2.9)	4.0(3.1)	3.8(2.8)	3.8(2.8)
Weight(Kg)	75	75	76	88	88
Impact Force KN	14				
Jumping Stroke MM	40-80				
Impact Number Per Min.	640-680				
Fuel Tank Capacity L	2.0				
Shoe Size MM	345 x 285				

※Other engines are available as requested
 ※Features and specifications are subject to change without notification